



51.2V 280Ah 15kWh Floor-Standing Energy Storage Battery



Parameter

Floor-standing Energy Storage Battery (Home)

| Model | XPE-51300 |
|-------------------------------------|---|
| Standard Voltage | 51.2VDC |
| Voltage | 43.2-57.6VDC |
| Nominal Capacity | 300Ah |
| Rated Capacity | 15.36kWh |
| Communication Protocol | CAN / RS485 / WIFI / Blue Tooth |
| Efficiency (at 0.5C) | 90% |
| Cell Self-Discharge | <5 % / Month |
| Maximum Allowed Modules in Parallel | 15PCS (230.4kwh) |
| Depth of Discharge | Up to 100% |
| Useful Life | 8-10 Years |
| Cycle Life | 6000 (@ 80% DoD) |
| Protection | Over temperature, over-current, short circuit, over-charging, over-discharging, Low |
| | voltage |
| Charge Specifications | |
| Recommended Charge Current | 100A |
| Maximum Charge Current | 100A |
| Recommended Charge Voltage | 57.6V |
| Recommended Discharge Current | 100A |
| Maximum Discharge Current | 100A |
| Battery Recovery Voltage | 43.2V |
| Mechanical Specifications | |
| Dimensions (mm) | 850*530*250 |
| Terminal Type | M8 |
| Case Material | Industrial Grade Iron |
| Enclosure Protection | IP20 |
| Installation | Floor-standing |
| Cell Type Chemistry | LiFePO4 |
| Temperature Specifications | |
| Discharge Temperature | -20~60℃ |
| Charge Temperature | 0~55°C |
| Storage Temperature | -20 [~] 55°C |
| Certification Standard | |
| Safe Certifications | CE,FCC, CCC |
| Shipping Classification | UN 38.3, UN 3480, Class 9 |

Introduction

This stand mode LifePO4 lithium battery belongs to one of the series of household energy storage products that are independently designed and developed. It has long cycle life, high safety standard BMS software protection and strong housing, exquisite looks, and easy installation, etc. It is widely used in energy storage system with off- grid inverters, on-off grid inverters and hybrid inverters.

Feature

- >6000 times deep cycle charge and discharge
- BMS intelligent system, Multiple built-in protection
- Support connected in parallel mode for expansion
- The max parallel quantity is 15pcs



Suzhou Preta Intelligence and Technology Co., Itd

No..55 Shangxiang Road, Huaqiao Corporation Head Quarter Centre,

Kunshan City, Suzhou City, China

Tel: 0512-36684019

Mail: info@pretapower.com

Web: https://pretapower.com/

