




Product Service

CERTIFICATE

No. Z2 099333 0045 Rev. 16

Holder of Certificate: **LONGi Green Energy Technology Co., Ltd.**
No. 388, Middle Hangtian Road
Chang'an District
710100 Xi'an City, Shaanxi
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**
Mono-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 704061700516-16

Valid until: 2026-11-10

Date, 2021-11-11

(David Bo)

CERTIFICATE

No. Z2 099333 0045 Rev. 16

Model(s):

LR6-72HV-xxxM, (xxx=335-360, in step of 5)
LR6-60HV-xxxM, (xxx=280-300, in step of 5)
LR6-72PH-xxxM, (xxx=340-380, in step of 5)
LR6-60PH-xxxM, (xxx=285-315, in step of 5)
LR6-72HPH-xxxM, (xxx=365-395, in step of 5)
LR6-72HIH-xxxM, (xxx=365-395, in step of 5)
LR6-60HPH-xxxM, (xxx=300-325, in step of 5)
LR6-60HIH-xxxM, (xxx=300-325, in step of 5)
LR6-72OPH-xxxM, (xxx=385-415, in step of 5)
LR6-60OPH-xxxM, (xxx=335-365, in step of 5)
LR6-72HPH-xxxMC, (xxx=375-390, in step of 5)
LR6-60HPH-xxxMC, (xxx=305-325, in step of 5)
LR6-60ZPH-xxxM, (xxx=330-355, in step of 5)
LR4-72HPH-xxxM, (xxx=420-465, in step of 5)
LR4-72HIH-xxxM, (xxx=420-465, in step of 5)
LR4-60HPH-xxxM, (xxx=350-380, in step of 5)
LR4-60HIH-xxxM, (xxx=350-380, in step of 5)
LR4-72ZPH-xxxM, (xxx=420-435, in step of 5)
LR4-60ZPH-xxxM, (xxx=350-365, in step of 5)
LR4-78ZPH-xxxM, (xxx=455-485, in step of 5)
LR5-72HPH-xxxM, (xxx=525-555, in step of 5)
LR5-66HPH-xxxM, (xxx=480-505, in step of 5)
LR4-66HPH-xxxM, (xxx=395-425, in step of 5)
LR4-66HIH-xxxM, (xxx=395-425, in step of 5)
LR5-72HIH-xxxM, (xxx=525-545, in step of 5)
LR5-66HIH-xxxM, (xxx=480-500, in step of 5)
LR5-78HPH-xxxM, (xxx=575-595, in step of 5)
LR5-78ZPH-xxxM, (xxx=565-585, in step of 5)
LR4-50HPH-xxxM, (xxx=305-320, in step of 5)
xxx stands for rated output power at STC.

Parameters:

Fire Safety Class:	Class C according to UL790.
Safety Class:	Class II
Max. System Voltage:	1500V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute. No.10 West Kaifa Road, Yangzhou 225009 Jiangsu, P.R. China.
Construction:	Framed, with Junction box, cable and connector.

Tested according to:

IEC 61215-1:2016
IEC 61215-1-1:2016
IEC 61215-2:2016
IEC 61730-1:2016
IEC 61730-2:2016
EN 61215-1:2016
EN 61215-1-1:2016
EN 61215-2:2017
EN IEC 61730-1:2018
EN IEC 61730-1:2018/AC:2018-06
EN IEC 61730-2:2018
EN IEC 61730-2:2018/AC:2018-06